TETRIX
portable displays

Alu Lite
Fence/Divide/Wall/Monter

94 cm

C100/H100

90 cm

188 cm

C200/H200

90 cm

282 cm

C300/H300

90 cm

- **Deliver full template size**   (Visible 94x90, 188x90, 282x90)
- **Resolution 75-150 dpi**   (in full 1:1 size)
- **Only JPG (JPEG) format**   (We only accept jpg format, full size layouts)
- **No bleed**   (Strict full size only)
- **No pre-press marks**   (crop marks, scales...)
- **Only CMYK colors**   (not RGB or Pantone)

CHECK before uploading: That layout measurements are correct to fit the system
                                     That the colors are vivid enough to appear (over 30% CMYK)
   That the resolution and picture quality are OK

NOTE: TETRIX considers uploaded documents to fulfill requirements in
                                     accordance to these notes. No separate layout check is performed.

Alu Lite
Fence/<u>Divide</u>/Wall/Monter

94 cm

C100/H100

140 cm

144 cm

C150/H150

140 cm

- **Deliver full template size**   (Visible 94x140, 144x140)
- **Resolution 75-150 dpi**   (in full 1:1 size)
- **Only JPG (JPEG) format**   (We only accept jpg format, full size layouts)
- **No bleed**   (Strict full size only)
- **No pre-press marks**   (crop marks, scales...)
- **Only CMYK colors**   (not RGB or Pantone)

CHECK before uploading: That layout measurements are correct to fit the system
That the colors are vivid enough to appear (over 30% CMYK)
That the resolution and picture quality are OK

NOTE: TETRIX considers uploaded documents to fulfill requirements in
accordance to these notes. No separate layout check is performed.

TETRIX
portable displays

Alu Lite
Fence/Divide/Wall/Monter

94 cm

144 cm

C100/H100

C150/H150

190 cm

190 cm

- **Deliver full template size**   (Visible 94x190, 144x190)
- **Resolution 75-150 dpi**   (in full 1:1 size)
- **Only JPG (JPEG) format**   (We only accept jpg format, full size layouts)
- **No bleed**   (Strict full size only)
- **No pre-press marks**   (crop marks, scales...)
- **Only CMYK colors**   (not RGB or Pantone)

CHECK before uploading: That layout measurements are correct to fit the system
That the colors are vivid enough to appear (over 30% CMYK)
That the resolution and picture quality are OK

NOTE: TETRIX considers uploaded documents to fulfill requirements in
accordance to these notes. No separate layout check is performed.

Alu Lite
Fence/Divide/Wall/__Monter__

94 cm

C100/H100

240 cm

144 cm

C150/H150

240 cm

- **Deliver full template size**   (Visible 94x240, 144x240)
- **Resolution 75-150 dpi**   (in full 1:1 size)
- **Only JPG (JPEG) format**   (We only accept jpg format, full size layouts)
- **No bleed**   (Strict full size only)
- **No pre-press marks**   (crop marks, scales...)
- **Only CMYK colors**   (not RGB or Pantone)

CHECK before uploading: That layout measurements are correct to fit the system
                                     That the colors are vivid enough to appear (over 30% CMYK)
                                     That the resolution and picture quality are OK

NOTE: TETRIX considers uploaded documents to fulfill requirements in
                                     accordance to these notes. No separate layout check is performed.

Alu Lite
Fence/Divide/Wall/Monter

I.

a) Connect the octagonal rods two-by-two, using the supplied threaded joints (not applicable to Alulite Fence).

b) Make sure that the grooves in the rods are aligned-otherwise the beams cannot be connected properly. Should the grooves not align, simply loosen one of the rods half a turn and tighten the other rod.

c) Attach the adjustabe foot by pushing it in and fasten the black Allen screw. Height can be adjusted on the bolt NOTE: Adjustable feet may not be necessary if the wall is built in an angle and is to be placed on a flat surface.

d) Attach the end caps

II.

Insert the keder of the printed canvas into the grooves in the beams.

III.

Attach the beams to the rods using the torx key.

- Put the end of the rail into the groove of the rod and lock in place by turning the screw 180 degrees clockwise. To open, turn counter clockwise.
- Tip: Build the first module with it laid down on the floor and lift it up on to its feet after assembly.
- Attach the upper beam first and stretch out the canvas by pulling the lower beam down.
- If the wall is built in an angle, start by building one 90° corner. This way you will have a stable module to continue building upon.
- It is best to be at least 2 persons when building a bigger wall.

Extra

1) Threaded pin for holding cell board signs
2) Spotlight
3) Cookie table

Alu Lite
Fence/Divide/Wall/Monter
parts list

		Amount	Checked
	octagonal rod		☐
	beam		☐
	lock		☐
	adjustable foot		☐
	end cap		☐
	M10 threaded joint		☐
	allen key		☐
	torx key		☐
	print		☐

Alu Lite
Fence/Divide/Wall/Monter
optional items

		Amount	Checked
	spotlight		☐
	lite spotlight		☐
	spot light holder		☐
	sign holder		☐
	brochure holder		☐
	cookie table		☐
	slim foot		☐
	round foot		☐

Date	Signature